



ROYAL BENGAL, KOLKATA



CEEEROS ATLANTIC



ROYAL BENGAL, KOLKATA



TAJ CONNEMARA
BALL ROOM



ITC, TANJORE



SHERATON, ECR



CEEEROS



TAJ CONNEMARA
BINNY



ITC, TOWERS GYMNASIUM



ITC, PAN ASIAN



CEEEROS ATLANTIC



ROYAL BENGAL, KOLKATA



TAJ CONNEMARA
CLIVE



TAJ COROMANDEL
GOLDEN DRAGON




ITC, AVARTANA



ITC, AVARTANA



TAJ CONNEMARA



RAINTREE



ITC GRAND CHOLA



SHERATON ECR



SPR CITY



ITC, PAN ASIAN



ITC, PAN ASIAN



ITC, PAN ASIAN



ROYAL BENGAL, KOLKATA
SOLAR STREET LIGHT

OUR PARTIAL LIST OF PROJECTS

AUTOMATED PCB ASSEMBLY



JUKI PICK AND PLACE



8 ZONE REFLOW OVEN

PRODUCTION SHOP FLOOR



PRODUCTION ASSEMBLY LINE



3 AXIS AUTO SEALANT FILLING MACHINE



DRIVER ASSEMBLY





CNC LUMINARE OPERATIONS



LASER MARKING MACHINE

LM79 TESTING AND CERTIFICATION



GONIO PHOTOMETRIC AND CCT TEST



DRIVER TESTING



AGING TEST




IP RATING / WATER
PROOF TESTING

ARCHITECTURAL ALUMINIUM PROFILE WITH DIFFUSER AND LIGHT




W-17.5 x H-7.5 mm

iLED AP 01 SURFACE / SUSPENSION




W - 17 x H - 12 mm

iLED AP 01A - SURFACE / SUSPENSION




W - 24.5 x H - 9 mm

iLED AP 02 - RECESS



W - 26.5 x H - 21.5 mm

iLED AP 03-CORNER PRO?LE



W - 30.7 x H - 28.5 mm

iLED AP 04 - SURFACE / SUSPENSION - IP67



W - 14.8 x H - 17.5 mm

iLED AP 06 - SURFACE / SUSPENSION



W - 20.8 x H - 13.8 mm

iLED AP 07 - SHOWCASE PROFILE




W - 48 x H - 18.7 mm

iLED AP 22-STEP




W - 11.7 x H - 12 mm

iLED AP 25 - UNDERWATER - IP68




W - 23.4 x H - 28 mm

iLED AP 32 - SURFACE / SUSPENSION




W - 27.1 x H - 11 mm

iLED AP 33-FLOOR - IP67




W - 20 x H - 16 mm

iLED AP 39-30 - CURTAIN



W - 64 x H - 31 mm

iLED AP 45-CEILING



W - 32.7 x H - 85 mm

iLED AP 49 - WALL MOUNT (UP & DOWN LIGHT)



W - 50 x H - 70 mm

iLED AP 52 - SUSPENSION



W - 18 x H - 6 mm

iLED AP 114 - FLEXIBLE PROFILE




L - 1066 x W - 33.6 x H - 75 mm

iLED LS 30-8A - SUSPENSION



W - 53 x H - 14 mm

iLED AP 068-R - TRIMLESS RECESS




W - 61.5 x H - 14 mm

iLED AP 071 - TRIMLESS RECESS



W - 15 x H - 30 mm

iLED AP 630 CUPBOARD ROD HANGER



W - 8 x H - 9 mm

iLED AP 6244

BOLLARDS OUTDOOR LIGHT



D-128(Base) x H-475 x D-47 mm

iLED 6 ST BD 01



L-100 x W-100 x H-600 mm

iLED 12 BD 9826 03



L-105 x W-80 x H-400 mm

iLED 12 BD 9830 04



H-620 x D-100 mm

iLED 12 BD 05



H-300 mm/ H- 810 mm

iLED BD 06/07



H - 300 x W - 130 mm
H-800 x D-130 mm

iLED BD 08/09



H- 900 x D-90 mm

iLED BD 10



H-600 x D-65 mm

iLED BD 11



H-700 x D-160 mm

iLED 20 BD 12



L-160 x W- 53 x H- 300 mm; 6W
L-160 x W- 53 x H- 600 mm; 12W

iLED 7/12 BD 13/14



D- 149 x H-300 mm; 7W
D- 149 x H-600 mm; 12W

iLED 7/12 BD 15/16



D- 150 x H-300 mm; 7W
D- 149 x H-600 mm; 12W

iLED 7/12 BD 17/18



L-127 x W- 98 x H- 714 mm

iLED 12 BD 19



D- 65 x H-600 mm

iLED 12 BD 20



D-108 X H-1000 mm

iLED 12 / 20 BD 21



D-108 X H-600 mm

iLED 12 / 20 BD 22



D-108 X H-600 mm

iLED 12 / 20 BD 23

BULBS INDOOR LIGHT



D-38 x H-80 mm

iLED 3 B 01



D-58 x H-106 mm

iLED 6 B 02



D-60 x H-80 mm; 9W
D-82 x H-133 mm; 13W

iLED 9/13 B 03/04



D-50 x H-85 mm; 5W
D-55 x H-110 mm; 8W/10W
D-82 x H-130 mm; 12W

iLED 5/8/10/12 TCB 05/06/07/08



D-38 x H-106 mm

iLED 6 PL 09

COB GIMBAL LIGHTS INDOOR



D-38 x H-145 mm

iLED 6 PL 10



D-37 x H-110 mm; 5W/7W

LED 5/7 CB 11/12




D-102 X H-100mm

iLED 8 RGBL 01 - RETROFIT



D-130 X H-75mm; 15W
D-170 X H-105mm; 25W

iLED 15/25 RGBL 02/03



D-164 X H-125mm

iLED 25 RGBL 04

INGROUND/BURIALS & PATHWAY LIGHTS OUTDOOR



D-42 x H-90 mm; 3W
D-42 x H-50 mm; 3W

iLED 3 UG 01 /02



D-50 x H-90 mm

iLED 3 PWL 03 - ONE WAY



D-50 x H-90 mm

iLED 3 PWL 04 - TWO WAY



D-50 x H-90 mm

iLED 3 PWL 05 - THREE WAY



D-50 x H-90 mm; 3W
D-100 x H-115 mm; 3/9W

iLED 3 3/9 PWL 06/07 - FOUR WAY



D-90 x H-120 mm

iLED 4 UG 08



D-95 x H-75 mm; 6W
D-146 x H-160 mm; 9/12W

iLED 6/12 UG 09/10




D-200 x H-95 mm; 20/24W
D-220 x H-95 mm; 30/40W

iLED 20/24, 30/40 UG 11/12



D-180 x H-110 mm; 15W
D-220 x H-110 mm; 25W

iLED 15/25 UG 13/14-ANTIGLARE



L-60 x W-60 X H-112 mm

iLED 6 UG 15 - NARROW BEAM

CEILING RECESS MOUNT LIGHTS WITH LENS INDOOR



D-20 X H-30 mm

iLED 1 RDL 01



D-52 X H-32 mm

iLED 3 RDL 02



D-35 X H-50 mm

iLED 3 RDL 03



D-35 X H-50 mm

iLED 3 RDL 04



D-85 x H-45 mm

iLED 3/6 RDL 05




D-110 X H-62 mm

iLED 5 RDL 07



D-160 X H-175 mm

iLED 18 RDL 08



L-45 X W-45 x H-49 mm; 3W
L-75 X W-45 x H-49 mm; 6W

iLED 1*3/2*3 SDL 09/10



L-147 X W-45 x H-49 mm; 15W
L-280 X W-45 x H-49 mm; 30W
L-415 X W-45 x H-49 mm; 45W

iLED 5*3/10*3/15*3 SDL 11/12/13



D-31 X H-22.5 mm

iLED 1 RDL 14



D-24.5 X H-26.5 mm

iLED 1 RDL 15



D-21.5 X H-25.5 mm

iLED 1 RDL 16



D-39 X H-25 mm

iLED 3 RDL 17

COB DOWN LIGHTS INDOOR



D-70 X H-50mm

iLED 6 RDL COB 01



L-80 X W-80 X H-50 mm

iLED 6 SDL COB 02



D-90 X H-70 mm

iLED 12 RDL COB 03



L-90 X W-90 X H-70 mm

iLED 12 SDL COB 04



D-135 x H-80 mm; 18W
D-160 X H-97 mm; 24W
D-180 X H-120 mm; 40W

iLED 18/24/40 RDL COB 05/06/07



L-195 X W-195 X H-120 mm

iLED 20/30 SDL COB 08




L 340 X W 195 X H 120 mm

iLED 40/60 SDL COB 09



D-95 X H-115 mm

iLED 10 RDH COB 10 - DEEP DRAWN ADJ



D-95 X H-115 mm

iLED 10 RDH COB 11 - DEEP DRAWN ADJ



D-122.5 x H-115mm; 5W/7W/9W
D-190 X H-115mm; 12W/15W/18W

iLED 5/7/9/12/15/18 RDL NA COB 13/14/15/16/17/18 ECO

CORDLESS TABLE LAMPS (RECHARGEABLE) INDOOR

NEW LUXPRO[®]



D-73 X H-125mm; 12W
D-85 X H-130mm; 20-30W
D-110 X H-150mm; 30-40W
D-132 X H-180mm; 40-50W
D-173 X H-200mm; 60-80W

iLED 10-12/20-30/40-50/60-80 RDL NA COB 19/20/21/22/23 - DEEP DRAWN



D-68 X H-76 mm

iLED 07 RDH COB 24 ADJ



D-63 X H-60 mm

iLED 07 RDL NA COB 25



D-120 X H-184mm

iLED 2 EL 1EO 01/02/03/04 - RECHARGEABLE



D-45 mm X H-100 mm

iLED 1 CL 01 WW 05 - RECHARGEABLE

CONTROLLERS INDOOR



L-95 X W-67 X H-26 mm
L-60 X W-95 X H-28 mm
L-128 X W-64 X H-24 mm

iLED 4A3 RGB RF 01/02/03



L-85 X W-45 X H-24 mm

iLED 6A3 RGB 308 RF 04



L-36 X W-45 X H-27mm

iLED WIFI CONTROLLER 05 RGB / RGBW



L-72 X W-120 X H-42mm

iLED TOUCH DIMMER 08



192X W-80 X H-40 mm

iLED DMX 512 ISOLATED SPLITTER-LT123



iLED DMX 705 DECODER/ENCODER

CUPBOARD LIGHTS INDOOR

DRIVE OVER LIGHT OUTDOOR

SUPER MARKET LIGHTS INDOOR/OUTDOOR



D-75 X H-17 mm

iLED 5 CBL 01



L-110 X W-40 X H-10 mm; 5W
L-205 X W-40 X H-10 mm; 10W

iLED 5 CBL 02



L-100 X W- 50 X H-30 mm;
1W/2W/3W/6W

iLED 1/1+1/3/3+3 DOL 01/02/03/04



D-310 X H-250mm; 50W

iLED 50 DS 21G 005/06/07 (INDOOR)



4 feet; 36/40W;40W

iLED 36/40 TL T8 07/08/09-TRI PROOF (OUTDOOR)

FACADE / PROJECTION LIGHTS OUTDOOR



L-150mm X W-70 X H-145 mm

iLED 10 OL 01



L-215mm X W-103 X H-235 mm

iLED 20 OL 02



L-215 X W-103 X H-235 mm

iLED 30 OL 03



W-130 X H-300 X L-280mm

iLED 40 OL 04



W-130 X H-300 X L-280mm

iLED 50 OL 05



L-130 X W-120 X H-150mm

iLED 12 / 18 OL 06



D-150 X H-210mm

iLED 24 / 36 OL 07



L-160 X W-160 X H-160mm

iLED 45 / 60 OL 08



L-200 X W-200 X H-440mm

iLED 80 OL 09



D-63 X H-90mm

iLED 6 U / D OD 10

FLOOD / FOCUS LIGHT OUTDOOR




L-227 X W-240 X H-45 mm; 30W
L-284 X W-300 X H-60 mm; 50W
L-284 X W-300 X H-65 mm; 100W
iLED 30/50/100 FL EC 001/02/03



L-400 X W-300 X H-85 mm
iLED 100/150 FL EC 003A/04



L-425 X W-325 X H-130 mm; 200W/300W
iLED 200/300 FL EC 005/06



L-660 X W-330 X H-220 mm
iLED 450 FL EC 007



L-280 X W-210 X H-160 mm
iLED 18 FL 008

HI BAY LIGHTS INDOOR

ADJUSTABLE HI BAY / SPORTS LIGHTS (OUTDOOR)



L-312 X W-165 X H-59 mm
iLED 40 FL 009



L-312 X W-165 X H-59 mm
iLED 40 FL 010



D-400 X H-220 mm; 80W
D-450 X H-250 mm; 120/150W
D-330 X H-220 mm; 180/200W
iLED 80 120/150 180/200 HB 002/03/04



L-250 X W-275 X H-200 mm; 70/80W
L-375 X W-275 X H-200 mm; 115/120W
L-500 X W-275 X H-200 mm; 160W
iLED 80/120/160 HB/FL 01/02/03

FRONT REMOVABLE FITTING FRAME (FR SERIES) INDOOR



D-90 X H-115mm
iLED 12 RDL COB FR 01



D-78 X H-115mm; 10W
D-78 X H-130mm; 15W
D-78 X H-150 mm; 20W
iLED 10/15/20 RDL COB FR 02/03/04



D-96 X H-25 mm
iLED S-ZH093-Q -ANTI DAZZLE - FR SERIES



D-103 X H-70 mm
iLED S-SCY105-Q -DEEP- FR SERIES



89 X H-34mm
iLED H-090F DEEP- FR SERIES



82 X H-30mm
iLED RRF 1007A - FR SERIES



113 X H-50mm
iLED RRF 001 - FR SERIES




82 X H-50mm
iLED RRF 001 - FR SERIES




81 X H-68mm
iLED ST 502A



81 X H-80mm
iLED ST 503A - COB DOWNLIGHTS THIN FRAME



L-85 X W-85 X H-33mm
iLED ST T511 - COB DOWNLIGHTS THIN FRAME



112 X 112 X 125mm
iLED 9 RRF W/WW



215 X 112 X 125mm
iLED 2x9 RRF W/WW

GARDEN POLE / STREET LIGHTS OUTDOOR



H-700 X D-160 mm
iLED XJ6128 01



H-700 X D-160 mm
iLED XJ6135 02



H-700 X D-160 mm
iLED XJ6137 03



H-4000 mm
iLED Street light Base 04



3.5 Meters
iLED 30 PL 05



3.5 Meters
iLED 30+20 PL 06



3.5 Meters
iLED 30+20 PL 07



4 Meters
iLED 60 PL 08



3.5 Meters
iLED 30 PL 09



3.3 Meters
iLED 36 PL 10

GARDEN POLE / STREET LIGHTS OUTDOOR



3.3 Meters

iLED 30 PL 11



3.3 Meters

iLED 30 PL 12



3.2 Meters

iLED 36 PL 13



3.2 Meters

iLED 50 PL 14



3.3 Meters

iLED 60 PL 15



3 Meters

iLED 30 PL 16



3 Meters

iLED 30 PL 17



D-160 X H-3600 mm

iLED 80 PL 18



D-160 X H-4200 mm

iLED 80 PL 19

GARDEN LIGHTS OUTDOOR



L- 85 X W-70 X H-90 mm; 5W
L- 85 X W-95 X H-108 mm; 8W
D-70 X H-300mm; 10W

iLED - 5/8/10 GL 01/02/04



D-50 X H-420mm

iLED - 7 GL 03



D-105 X H-450mm

iLED - 15 GL 05



L-520 X W-40 x H-65mm

iLED 30/40 GL 06



L-550 X W-335 x H-65mm

iLED 60/80 GL 07 - POST TOP LANTERN



D-500 X H-100mm

iLED 90/120 GL 08 - POST TOP LANTERN



L-550 X W-420 x H-65mm

iLED 120 GL 09



D-650 X H-150mm

iLED 120/160 GL / ML 10 - POST TOP LANTERN



W-276 x H-499mm; 40W/80W

iLED 40/80/100 GL 11/12/13



iLED CLAMP FOR GL 11/12/13

GYPSON LIGHTS - TRIMLESS (INDOOR)



L-80 X W-80 X H-55mm
L-150 X W-80 X H-55mm
L-200 X W-80 X H-55mm

iLED GPL TD SF1001-01/02/03



L-170 X W-170 X H-55mm
L-320 X W-170 X H-55mm

iLED GPL TH SY2002-04/05



L-120 X W-120 X H-65mm
L-220 X W-120 X H-65mm

iLED GPL TD SF1004-06/07



L-220 X W-220 X H-58mm
L-300 X W-300 X H-50mm

iLED GPL TH SY3001-08/09



D-375 X H-225mm

iLED GPL TH SR3010-10



D-230 X H-150mm

iLED GPL TH SR3012-11

HOLOGRAPHIC ADVERTISING MACHINE INDOOR




L-435 X W-110 X H-110 mm

iLED 3D HOLOGRAPHIC FAN



L-188 X W-83 X H-200 mm

iLED GOBO LIGHT



L-500 X W- 500 X H- 67 mm; 5-25W;15W

iLED IA03/06/04-01/02/03



L-1000 X W-300 X H-65 mm

iLED PIANO TILES

INWALL LIGHT INDOOR




L-94 X W-94 X H-32mm

iLED 1 IWL CED 001



L-50 X W-50 X H-30mm; 3W
L-80 X W-80 X H-47mm; 3/5W

iLED 3 3/5 IWL CED 002/05



D-45 X H-30mm (RND); 3W
L-45 X W-45 X H-30mm (SQ); 3W

iLED 1 / 3 IWL CED 003



7 X 12 mm; 12W
7 X 12 mm; 12W
8 X 8 mm; 12W
360 degree Luminescence

iLED 12 NL O1/02/03/04/05

ACCESSORIES




iLED NLA 06 TO 18

INWALL LIGHTS OUTDOOR



L -230 X W-80 X H-25mm

iLED 5 IWL 01 - IP65



L-120 X W-120 X H-70mm

iLED 5 IWL 02 - IP65



L-120 X W-120 X H-70mm

iLED 5 IWL CED 03 - IP65



L -110 X W-45 X H-55mm

iLED 5 IWL CED 04 - IP65



L-115 X W-85 X H-52mm

iLED 6 IWL 05 - IP65



L -230 X W-128 X H-90mm

iLED 15 IWL 06 - IP65



L -260 X W-245 X H-60mm

iLED 35 IWL 07 - IP65



L -200 X W-200 X H-30mm

iLED 35 IWL 08 - IP65



L -160 X W-97 X H-63mm

iLED 9 IWL 09 - IP65

JEWELLERY & SHOWCASE DISPLAY LIGHTING INDOOR



D-30.5 X H-38.5 mm

iLED 1 JL 01



D-50 X H-326 mm

iLED 1 SJL SQ 02



D-50 X H-326 mm

iLED 3 RJL 03



D-50 X H-375 mm

iLED 3 SJL 04



D-40 X W 50 X H-310 mm; 5W
D-40 X W 50 X H-1120 mm; 24W

iLED 5/24 JL 05/06

MIRROR / PICTURE LIGHTS INDOOR



L-350 X W-83 X H-30 mm; 8W
L-485 X W-85 X H-30 mm; 12W

iLED 8/12 ML 01/02



L-470 X W-95 X H-48mm

iLED 8 ML 03



L-650 X W-75 X H-30 mm

iLED 8 ML 03



L-410 X W-95 X H-50mm

iLED 8 ML 04

PANEL DOWN LIGHTS MILKY (BACK LIT) INDOOR



D-138 x H-38mm; 10W
D-190 X H-38mm; 16W
D-225 X H-35mm; 24W
D-110 X W-110 X H-30mm; 7W
L-178 X W-178 X H-32mm; 16W

iLED 10/16/24/7/16 PDL 01/02/03/04/05



L-220 X W-220 X H-35mm; 24W
L-220 x W-220 x H-40mm; 18W

iLED 24/18 SQ PDL 06/09



D-120 x H-40mm; 6W
170 x 40mm; 12W
D-220 X H-40 mm; 18W

iLED 6/12/18 PDL 3IN 1 07/08/09



Customised DMX CONTROLLABLE

iLED LUMI PANEL FRAMELESS 10

PANEL DOWN LIGHTS MILKY (EDGE LIT) INDOOR



D-85 X H-16mm; 3W
D-120 X H-16mm; 6W

iLED 3/6 SLPDL RND 11/13



L-85 X W-85 X H-16mm; 3W
L-120 X W-120 X H-16mm; 6W
L-170 X W-170 X H-16mm; 12W
L-190 X W-190 X H-16mm; 15W
L-220 X W-220 X H-16mm; 18W/22W

iLED 3/6/12/15/18/22 SLPDL SQ 12/14/16/18/20/22



D-170 X H-16mm; 12W
D-190 X H-16mm; 15W
D-220 X H-16mm; 18W/22W

iLED 12/15/18/22 SLPDL RND 15/17/19/21



D-144 X H-50mm; 9W
D-190 X H-50mm; 18W

iLED 9/18 RDL 23/24

ANTI STUMBLE LIGHTS INDOOR



90 X50 X40 mm

iLED 1.3 ASL 01



300 X W - 300 X H - 40mm

iLED 15/24 CDL 11 01



595 X W - 325 X H - 72.5 mm

iLED 30 / 60 CDL 21 02



1190 X W - 332 X H - 40 mm

iLED 40 CDL 14 03



595 X W - 595 X H - 45mm; 40/60/120W
595 X W - 595 X H - 20mm; 50W

iLED 40 CDL 22 04 BACKLIT

SOLAR STREET LIGHTS OUTDOOR



POLE HEIGHT
3 Meters
3.5M
4 M
6 M
7 M
8.5 M
10 M
12 M



POLE HEIGHT 8 M



D-100 X H-90 mm; 10W
D-130 X H-95 mm; 15W
D-160 X H-110 mm; 20W/30W
D-230 X H-140mm; 40W

iLED 15/20/40/60/70/80/90/120/150/180 Solar Street Light System 01/02/03/04/05/06/07/08

iLED 20/40/60 Solar Street Light System 59/10/11

iLED 10/15/20/30/40 RDL NA COB IP67 01/02/03/04/05

SPOT LIGHTS & RETROFITS INDOOR



D-49 X H-60mm

iLED 4 MR16 01



D-49 X H-64mm

iLED 5 MR16 02



D-49 X H-68mm; 6W
D-49 X H-84mm; 8W

iLED 6/8 MR16 03/04



D-50 X H-82mm

iLED 8 MR16 COB 05



D-110 x H-70mm

iLED 12-15 AR 111 COB 06

SPOT LIGHTS & RETROFITS INDOOR



D-56 X H-85mm; 12W

iLED 12 MR16 COB 07/08



D-48 X H-70mm

iLED 12 MR16 COB 09



D-50 X H-85mm

iLED 12 MR16 COB 10



L-400 X H-20 X W-36mm; 18W
L-530 X H-20 X W-36mm; 24W

iLED 18/24 PLC 12/13

STAGE LIGHTS WITH DMX CONTROLLER INDOOR



D-255 X H-385 mm

iLED 160 TH 226 - RGB PAR CAN



D-255 X H-405 mm

iLED 120 TH 251 - PAR CAN




D-300 X H-700 mm

iLED 150 TH 329 - LED PROFILE SPOT LIGHT



D-350 X H-850 mm

iLED 180 TH 337 - LED PROFILE SPOT LIGHT



PCB WIDTH;WATTS
8 mm; 6W
8-10 mm; 12W
5-8 mm; 16W
10 mm; 20W/24W
30 mm; 44W

iLED 6/12/16/20/24/44 STL 2835/60/120/168/240/360

STREET LIGHTS OUTDOOR



L-315 X H-65 X W-95mm

iLED 14 ST 01



L-78 X W-70 x H-325mm

iLED 20 / 30 / 45 / 60 / 90 ST 02



L-370 X H-45 X W - 220 mm

iLED 40 ST 03



L-500 X W-280 X H-90mm

iLED 60 ST 04



L-500 X W-280 X H-90mm

iLED 60 ST 05



L-490 X W-275 X H- 55 mm

iLED 80 ST 06



L-200 X W-253 X H-50 mm; 36W
L-400 X W-253 X H- 50 mm; 72W
L-530 X W-253 X H-50 mm; 108W
L-680 X W-253 X H-50 mm; 144W

iLED 36/72/108/144 ST 1711/12/13/14

SURFACE MOUNT DOWN LIGHTS INDOOR/OUTDOOR



D-40 x H-40mm

iLED 3 SM RDL 01



D - 65 X H-100 mm

iLED 6 SM RDL 02 - 3928



D - 90 X H-120 mm

iLED 10 SM RDL 03 - 3931



D - 110 X H-200 mm

iLED 15 SM RDL 04 - 3935



D - 145 X H-200 mm

iLED 20 SM RDL 05 - 3936



L - 65 X W - 65 X H- 64 mm; 6W
L - 90 X W - 90 X H- 120 mm; 10W

iLED 6/10 SM SDL 06 - 3955/56



L - 150 X W - 150 X H- 250 mm

iLED 20 SM SDL 08-3956-1



D - 90 X H- 55 mm; 8W
D - 180 X H- 55 mm; 20W

iLED 8/20 SM RDL 09/11



L - 90 X W - 90 X H- 55 mm; 8W
L - 180 X W - 180 X H- 55 mm; 20W

iLED 8/20 SM SDL 10/12



D - 220 X H- 55 mm

iLED 27 SM RDL 13



L - 220 X W - 220 X H- 55 mm

iLED 27 SM SDL 14




D-230 X H-90mm; 12W
D-300 X H-100mm; 18W

iLED 12/18 SM RDL 15/16 ECO




D - 100 X H- 70 mm

iLED 7/12/15 SM RDL 17



L - 120 X W - 120 X H- 65 mm
L - 120 X W - 120 X H- 37 mm

iLED 12 SM SDL 18



L-595 X W-595 X H-17 mm; 40/60/120W
L-595 X W-595 X H-35 mm; 40/60/120W

iLED SMDL D17/D35 19/20

SURFACE MOUNT DOWN LIGHTS INDOOR

PRESENCE / MOVEMENT SENSOR LIGHTS INDOOR



L-545 X W-545X H-70mm

iLED 120 SMDL D70 21



D - 55 X H-140 mm; 10W
D - 55 X H-180 mm; 15W

iLED 10/15 SM RDL 22/23 - FR SERIES



D-55 X H-43mm

Locking Rings - Q2



D -100 X H-35 mm

iLED 100 PIR 01



94 X 128X 160 mm


iLED 1000 PIR 02

SWIMMING POOL / FOUNTAIN LIGHTS OUTDOOR



D-42 X H-90 mm; 1W
D- 44 X H-50 mm; 1W

iLED 1 SWP 01/02



D-67 X H- 85mm; 3W
D-67 X H- 87mm; 3W

iLED 3 SWP 03/04



D-165 X H- 102 mm; 9W/18W

iLED 9/18 SWP 05/06



D -120 X H- 110 mm; 6W/12W

iLED 6/12 SWP 07/08



D -120 X H- 25 mm; 12W
D -290 X H- 65 mm; 24W

iLED 12/24 SWP 09/10

TUBE LIGHTS INDOOR



D -180 X H- 85 mm

iLED 24 SWP 11



D -270 X H-125mm

iLED 65 SWP 12



1 feet; 5W
2 feet; 10W
4 feet; 20W,36/40W,40W
8 feet; 40W

iLED 5/10/20 20/24, 40/48, 36/40,40 TL T5 01,02,03,04,05,06,07,08,09

TABLE LAMPS WITH BUILT IN BATTERY BACKUP INDOOR



iLED 8082 Table Top/8062 Table CLIP Lamp 01



iLED Wall Mount LED Lamp 02



iLED UE 001 LED Desk Lamp 03



Model:iLED UE 009 LED Desk Lamp 04

TRACK LIGHTS INDOOR



L-150 X W-70 X H-180 mm; 10W
L-130 X W-55 X H-130 mm; 12W

iLED 10/12 TRL 01/02/03



L-130 X W-220 X H-85 mm

iLED 15 TRL COB 04



L-250 X W-220 X H-97 mm

iLED 15+15 TRL COB 05



L-220 X W-110 X H-265 mm

iLED 24 TRL COB 06



L-195 X W-146 X H-205 mm

iLED 30 TRL COB 07

NEW



D-40 X H-90 mm; 8W
D-40 X H-145 mm; 12W

iLED 8/12 TRL COB 08/09

LUXPRO®

NEW



D-80 X H-160 mm; 24W
D-80 X H-180 mm; 36W

iLED 24/36 TRL COB 10/11

LUXPRO®

NEW



D-127 X H-153 mm


iLED 30 / 40 TRL COB 12

LUXPRO®



L-1000 X W-50 X H-25 mm
L-2000 X W-50 X H-25 mm
L-3000 X W-50 X H-25 mm


iLED 1M/2M/3M TRACK 01 3 Circuit 13/14/15



iLED X-CONNECTOR 16



iLED I-CONNECTOR 17



iLED T-CONNECTOR 17



iLED L-CONNECTOR 18

WALL LIGHTS OUTDOOR




L-105 X W-36 X H-65mm

iLED 3 CWL OD 01



L-200 X W-200 X H-50 mm

iLED 4 CWL OD 02



W-50 X H-110 x L-110mm

iLED 4 CWL OD 03



D-200mm X H-210 mm

iLED CWL OD 04-without Light source




D-65 X H-250 mm

iLED CWL OD 05 -WITHOUT LIGHT SOURCE



D-70 X H-250 mm

iLED CWL OD 06



L-285 X W-180 X H-80 mm

iLED FD014 OD 07 ECO




L-285 X W-180 X H-80 mm

iLED FD014 OD 08 ECO



L-285 X W-180 X H-80 mm

iLED FD014 OD 09 ECO



L-65 X W-77 x H-90mm; 5W
L-65 X W-150 x H-90mm; 10W

iLED 5,5+5 U/D OD 10/11



L-80 X W-75 x H-64mm; 5W/8W

iLED 5/8 U / D OD 12/13



L-80 X W-142 x H-64mm; 10W/16W

iLED 5 +5, 8+8 U & D OD 14/15



L-100 X W-100 x H-100mm

iLED 12 U & D OD 16



L-90 X W-55 x H-50mm

iLED 5 U / D 8022 OD 17



L-115 X W-28 x H-90mm

iLED 3+3 U & D 8023 OD 18



L-120 X W-40 X H-100mm

iLED 3+3 U & D OD 19 - NARROW BEAM



L-90 X W-130 x H-160mm

iLED 10 OD 23 - VERY NARROW BEAM



L-120 X W-120 X H-65mm

iLED 8 WL OD B815 24



D-120 X H-65mm

iLED 8 WL OD B816 25



L-102 X W-92 X H-76mm

iLED 6 WL OD B822 26

WALL LIGHTS OUTDOOR



L-86 X W-58 X H-36mm

iLED 3+3 U&D OD B854 27



L-120 X W-90 X H-40mm

iLED 4+4 U & D OD 28

NEW

LUXPRO®



L-180 X W-90 X H-40mm

iLED 6+6 U & D OD 29

NEW

LUXPRO®



D-90 X H-90mm

iLED 4*2 WL OD 30



D-65 X H-100mm

iLED 6 SM OD 31 - 3928



D-90 X H-200mm

iLED 10 SM OD 32 - 3931



D-110 X H-200mm

iLED 15 SM OD 33 - 3935



D-145 X H-200mm

iLED 20 SM OD 34 - 3936



L-65 X W-65 X H-64mm; 6W
L-90 X W-90 X H-120mm; 10W

iLED 6/10 SM OD 35 - 3955/56



L-150 X W-150 X H-250mm

iLED 20 SM OD 37 - 3956



L-75 X W-60 X H-60mm

iLED 1 / 3 WDL 44



L-130 X W-130 X H-260mm

iLED 10 / 15 CWL 38



L-130 X W-100 X H-220mm

iLED 10 / 15 CWL 39



L-135 X W-225 X H-50mm

iLED 12 CWL 40

NEW

LUXPRO®



L-120 X W-25 X H-35mm

iLED 6 U / D 41



L-210 X W-80 X H-45mm

iLED 6 RPL 152 - 42

NEW

LUXPRO®



L-175 X W-140 X H-42mm

iLED 30 WL OD 43

WALL WASHERS OUTDOOR



L-250 X W-60 X H-40mm; 10W
L-500 X W-60 X H-40mm; 20W
L-1000 X W-50 X H-50mm; 20W
L-1000 X W-60 X H-50mm; 24W
L-1000 X W-60 X H-60mm; 36W

iLED 10/20/24/36 WW 01/02/03/04/05



L-1000 X W-84 X H-60mm

iLED 72 WW 06



L-840 X W-120 X H-80mm

iLED 22/32 BSPL 07

NEW

LUXPRO®



L-1000 X W-31 X H-30mm; 30W
L-1000 X W-50 X H-50mm; 18W
L-1000 X W-60 X H-60mm; 36W

iLED 30/18/36 WW 08

WALL WASHERS INDOOR

NEW

LUXPRO®



D-95 X H-68.5mm

iLED 12 WW SM 11 WW (INDOOR)

NEW

LUXPRO®



D-93 X H-42mm

iLED 12 WW RM 12 WW (INDOOR)



1 meter

iLED 10 WW 13 WW (INDOOR)



L-110 X H-30mm

iLED 8 RL RM 01




L-147 X W-60 X H-100mm; 8W/12W

iLED 8/12 RL SM OD 02/03

WINDOW SILL / RAY LIGHT OUTDOOR

Partial list of satisfied customers

Partial list of satisfied customers



Partial list of satisfied customers



& More...

iLED®



iLED Lighting Systems Pvt Ltd

HEAD OFFICE & FACTORY

No, 85, Developed Plot, Perungudi Industrial Estate,
Perungudi, Chennai - 600 096, Tamil Nadu, India.

SHOWROOM

Chennai - 9/6, Turn Bulls Road, Nandhanam,
Chennai - 600 035, Tamilnadu, India.

OPERATIONS AT :

UK, AUSTRALIA, DUBAI, MUSCAT AND CHINA